



2135TiMAX 1/2" Air Impactool™

Maximum Impact



Maximum Impact

As if the Ingersoll Rand 2135Ti wasn't already the best 1/2" air Impactool™ you can buy, we decided to make it even better. Perfect for tackling any job in the service bay, the new 2135TiMAX delivers maximum power and control, along with unmatched reliability that comes from more than a century of proven engineering and innovation.

MAX Power

780 ft-lb maximum reverse torque from a tool weighing less than 4 lbs — that's the best power-to-weight ratio in its class

MAX Control

feather-touch trigger, wider range of power regulator settings in forward, always max power in reverse, patented one hand forward / reverse control

MAX Reliability

FREE two-year limited warranty with tool registration

SPECIFICATIONS	
Drive	1/2"
Max Torque (Reverse)	780 ft-lb (1054 Nm)
NBT*	1,100 ft-lb (1486 Nm)
Forward Torque Range	50 – 550 ft-lb (68 – 746 Nm)
Blows Per Minute	1,250
Free Speed	9,800 rpm
Sound Pressure (Free Speed)	86 dBA**
Net Weight (2135TiMAX)	3.95 lb (1.79 kg)
Overall Length (2135TiMAX)	7.35" (186.7 mm)
AIR REQUIREMENTS	
Average Air Consumption	5 cfm (142 l/min)
Air Inlet	1/4" NPTF
Minimum Hose Size	3/8" (10 mm)



2135TiMAX



2135Ti-2MAX



2135QTiMAX



2135QTi-2MAX



Quiet Tools

All the power, without all the noise
The 2135QTiMAX and 2135QTi-2MAX feature our patented Quiet Tool technology, which reduces sound levels caused by air pulsating through the impact motor, without compromising our best-in-class torque levels.



Titanium hammer case is lightweight with unparalleled durability

The original, perfected twin hammer mechanism utilizes proprietary advanced metallurgy

Hard coat anodized end plate stands up to the toughest jobs

Patented four-position power regulator dial for MAX control

Improved grease fitting for easy maintenance

Feather-touch trigger enables impressive control

Patented one-hand forward / reverse for easy operation

Optimized air flow ensures maximum performance

Tool shown at actual size

2135TiMAX

irtools.com/2135TiMAX

*NBT (Nut Busting Torque) This tool will loosen nut tightened to 1,100 ft-lb.
**dBA rating is for 2135QTiMAX

2 Year

Limited Warranty

REGISTRATION REQUIRED
at irtools.com/warranty
1-866-429-4717 (US & Canada only)

See irtools.com for official Terms & Conditions. May vary by country.



Protect your 2135TiMAX with FREE limited warranty protection

- Tool registration required at irtools.com/warranty or 1-866-429-4717 (US & Canada only)
- Available for the entire 2135TiMAX family only
- Warranty terms may vary by country, see web site for details



Go to irtools.com for information about quality Ingersoll Rand accessories.

Ingersoll Rand provides total solutions for getting the job done right. When you need genuine replacement parts, count on us to deliver.



Distributed by:



Ingersoll Rand Industrial Technologies provides products, services and solutions that enhance our customers' energy efficiency, productivity and operations. Our diverse and innovative products range from complete compressed air systems, tools and pumps to material and fluid handling systems and environmentally friendly microturbines. We also enhance productivity through solutions created by Club Car®, the global leader in golf and utility vehicles for businesses and individuals.

(800) 376-TOOL • irtools.com